48VDC TL Recessed track

1mt

Design: Ivela Design Team



	67	7	
,	2	7	
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	12.02 V	23









]]	
2	

^
(III)
~

	20
ır	/ 11

Р	20

l	Р	20	















Product Code	Color
3446 10 21	\\/hito

General specifications

Description

Product type Tracks Ceiling - recessed Mounting type Indoor/Outdoor light Indoor

> 48V low voltage electrified track for trimless recessed installation in false ceilings., compatible with spotlights equipped with the specific 48V adapter. The two conductors can transmit also the DALI signal, allowing for the dynamic control of the single light sources. The continuity of the positive line between each element is important for a correct installation of all the accessories.

Maximum load: 720W

Physical specifications

Finishing	Extruded aluminium alloy, polyester painted.
Load capacity description	The track has a load capacity of 4 Kg every 1000 mm. For a 4 Kg load every 200 mm, a maximum fixing distance of 500 mm is recommended.

Electrical specifications

Voltage (V)	48
Current (A)	15

Weight and dimension

Length (mm)	1000
Height (mm)	23
Width (mm)	27

Accessories

Product Code	6480-10-31
Name	Right live-end
Packaging quantity	10
Finishing	White
Product Code	6480-11-31
Name	Left live-end
Packaging quantity	10
Finishing	White
ŭ	
Product Code	6481-00-31
, and the second	6481-00-31 Central connector
Product Code	0.02.00.02
Product Code Name	Central connector
Product Code Name Packaging quantity	Central connector
Product Code Name Packaging quantity Finishing	Central connector 5 White
Product Code Name Packaging quantity Finishing Product Code	Central connector White 6453-00-31



Datasheet

A	Product Code	6454-10-31
	Name	Mechanical joint without electrical contacts
50	Packaging quantity	25
	Finishing	White
A	Product Code	6484-10-31
	Name	Inside L joint
55	Length (mm)	55
55	Product Code	6484-11-31
	Name	Outside L joint
55	Length (mm)	55
	Product Code	6465-03-31
	Name	150W 220-240V/48VDC DALI electronic transformer, for remote use
	Finishing	White
	Product Code	81-09000
	Name	100W 230V/48V PWM transformer for remote use
	Product Code	81-09001
	Name	200W 230V/48V PWM transformer for remote use
	Product Code	81-90122
	Name	300W 230V/48V PWM transformer for remote use
	Name	300W 230V/46V PWW transformer for remote use
	Product Code	81-90089
	Name	Bluetooth Casambi dimmer 48V 4 channels
	Product Code	81-90123
	Name	PWM dimmer
	Product Code	81-90124
	Name	DALI dimmer
	Product Code	81-90128
	Name	Bluetooth DALI Controller
.CA	Product Code	6457-00-00
120	Name	Plate 120mm (Compulsory for the connection between tracks)
Z-	Packaging quantity	1
	Product Code	6461-00-31
	Name	Track cover 1000mm
1000 \	Packaging quantity	10



White



Finishing

Datasheet



Product Code
Name
Packaging quantity

6483-00-31 Dead end 10

Power tolerance ± 5% - Luminous flux tolerance ± 5% - Measurement uncertainty ± 10% - Ta: 25°C