
## 48VDC TL Recessed track

## 3mt

Design: Ivela Design Team





IP 20



55





Product Code	Color	
6446-30-31	White	
General specifications		
Product type	Tracks	
Mounting type	Ceiling - recessed	
Indoor/Outdoor light	Indoor	
Description	48V low voltage electrified track for trimless recessed installation in false ceilings compatible with spotlights equipped with the specific 48V adapter. The two conducto can transmit also the DALI signal, allowing for the dynamic control of the single ligl sources. The continuity of the positive line between each element is important for correct installation of all the accessories. Maximum load: 720W	
Physical specifications		
Finishing	Extruded aluminium alloy, polyester painted.	
Load capacity description	The track has a load capacity of 4 Kg every 1000 mm. For a 4 Kg load every 20 mm, a maximum fixing distance of 500 mm is recommended.	
Electrical specifications		
Voltage (V)	48	
Current (A)	15	
Weight and dimension		
Length (mm)	3000	
Height (mm)	23	
Width (mm)	27	
Accessories		
Product Code	6480-10-31	
Name	Right live-end	
Packaging quantity	10	
Finishing	White	
Product Code	6480-11-31	
Name	Left live-end	
Packaging quantity	10	
Finishing	White	
Product Code	6481-00-31	
Name	Central connector	
Packaging quantity	5	
Finishing	White	
Product Code	6453-00-31	
Name	Straight connector	
Packaging quantity	25	
	White	

Power tolerance  $\pm\,5\%$  - Luminous flux tolerance  $\pm\,5\%$  - Measurement uncertainty  $\pm\,10\%$  - Ta:  $25^\circ\text{C}$ 

## ELCOM SrI MEMBER OF **STARLIGHT** Via Ugo la Malfia 5 25030 Castel Mella (BS) - ITALY



elcomledcomponents.com info@elcomsrl.net +39 030 6830559

## Datasheet

50	Product Code Name Packaging quantity Finishing	6454-10-31 Mechanical joint without electrical contacts 25 White
55	Product Code Name Length (mm)	6484-10-31 Inside L joint 55
55	Product Code Name Length (mm)	6484-11-31 Outside L joint 55
	Product Code Name Finishing	6465-03-31 150W 220-240V/48VDC DALI electronic transformer, for remote use White
	Product Code Name	81-09000 100W 230V/48V PWM transformer for remote use
	Product Code Name	81-09001 200W 230V/48V PWM transformer for remote use
	Product Code Name	81-90122 300W 230V/48V PWM transformer for remote use
	Product Code Name	81-90089 Bluetooth Casambi dimmer 48V 4 channels
	Product Code Name	81-90123 PWM dimmer
	Product Code Name	81-90124 DALI dimmer
	Product Code Name	81-90128 Bluetooth DALI Controller
120	Product Code Name Packaging quantity	6457-00-00 Plate 120mm (Compulsory for the connection between tracks) 1
1000	Product Code Name Packaging quantity Finishing	6461-00-31 Track cover 1000mm 10 White
	-	

Power tolerance  $\pm$  5% - Luminous flux tolerance  $\pm$  5% - Measurement uncertainty  $\pm$  10% - Ta: 25°C

ELCOM SrI MEMBER OF **STARLIGHT** Via Ugo la Malfia 5 25030 Castel Mella (BS) - ITALY elcom

elcomledcomponents.com info@elcomsrl.net +39 030 6830559



Product Code Name Packaging quantity 6483-00-31 Dead end 10

Power tolerance  $\pm~5\%$  - Luminous flux tolerance  $\pm~5\%$  - Measurement uncertainty  $\pm~10\%$  - Ta:  $25^\circ\text{C}$ 

ELCOM SrI MEMBER OF **STARLIGHT** Via Ugo la Malfia 5 25030 Castel Mella (BS) - ITALY



elcomledcomponents.com info@elcomsrl.net +39 030 6830559